



August 20, 2019

Arcelor Mittal USA, Inc.  
250 W US Highway 12  
Burns Harbor, IN 46304-9745

Work Order No.: 19H1133

Re: NPDES Parameters

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 3 sample(s) on 8/19/2019 10:45:00AM for the analyses presented in the following report as Work Order 19H1133.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at [ron.misiunas@microbac.com](mailto:ron.misiunas@microbac.com).

Sincerely,  
Microbac Laboratories, Inc.

A handwritten signature in black ink that reads "Carey Gadzala". The signature is written in a cursive, flowing style.

Carey Gadzala  
Project Manager

[Microbac Laboratories, Inc.](http://www.microbac.com)

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)



---

**WORK ORDER SAMPLE SUMMARY****Date:** *Tuesday, August 20, 2019*

---

**Client:** Arcelor Mittal USA, Inc.  
**Project:** NPDES Parameters  
**Lab Order:** 19H1133

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Tag Number</b>	<b>Collection Date</b>	<b>Date Received</b>
19H1133-01	Outfall 011		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1133-02	Outfall 001		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1133-03	Outfall 002		08/19/2019 00:00	8/19/2019 10:45:00AM

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)



## Field Results

Date: *Tuesday, August 20, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order:</b>	19H1133
<b>Client Project:</b>	NPDES Parameters		
<b>Client Sample ID:</b>	Outfall 001	<b>Work Order/ID:</b>	19H1133-02
<b>Sample Description:</b>		<b>Sampled:</b>	08/19/2019 00:00
<b>Matrix:</b>	Aqueous	<b>Received:</b>	08/19/2019 10:45
<b>Analyses</b>		<b>Result</b>	<b>Units</b>
FLD_CL_TITR		0.00	mg/L

## Analytical Results

Date: Tuesday, August 20, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1133-01
<b>Client Project:</b>	NPDES Parameters	<b>Sampled:</b>	08/19/2019 0:00
<b>Client Sample ID:</b>	Outfall 011	<b>Received:</b>	08/19/2019 10:45
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: SM 4500-CN C/E-1999			Analyst: ABG			
<b>Total Cyanide</b>			Prep Date/Time: 08/19/2019 10:59						
Cyanide, Total	ejj	A	0.0050	0.0020	0.0050		mg/L	1	08/19/2019 14:32
			Method: EPA 420.4 Rev 1.0			Analyst: ABG			
<b>Total Phenolics</b>			Prep Date/Time: 08/19/2019 10:59						
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	08/20/2019 10:46



# Analytical Results

Date: Tuesday, August 20, 2019

**Client:** Arcelor Mittal USA, Inc.  
**Client Project:** NPDES Parameters  
**Client Sample ID:** Outfall 001  
**Sample Description:**  
**Matrix:** Aqueous

**Work Order/ID:** 19H1133-02  
**Sampled:** 08/19/2019 0:00  
**Received:** 08/19/2019 10:45

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed	
			Method: EPA 200.7 Rev 4.4				Analyst: RPL			
<b>Total Recoverable Metals by ICP</b>										
Prep Date/Time: 08/19/2019 11:20										
Lead	ejj	A	ND	0.0033	0.0075	U	mg/L	1	08/19/2019 14:15	
Zinc	ejj	A	0.020	0.0073	0.020		mg/L	1	08/19/2019 14:15	
			Method: EPA 1664B				Analyst: KMT			
<b>Oil &amp; Grease (HEM) by SPE</b>										
Prep Date/Time: 08/19/2019 07:30										
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	08/19/2019 13:43	
			Method: SM 4500-CN C/E-1999				Analyst: ABG			
<b>Total Cyanide</b>										
Prep Date/Time: 08/19/2019 10:59										
Cyanide, Total	ejj	A	0.0028	0.0020	0.0050		mg/L	1	08/19/2019 14:37	
			Method: EPA 420.4 Rev 1.0				Analyst: ABG			
<b>Total Phenolics</b>										
Prep Date/Time: 08/19/2019 10:59										
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	08/20/2019 10:48	
			Method: SM 2540 D-1997				Analyst: KMT			
<b>Total Suspended Solids</b>										
Prep Date/Time: 08/19/2019 11:27										
Total Suspended Solids	ejj	A	5.2	1.0	1.0		mg/L	1	08/19/2019 12:42	

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

## Analytical Results

Date: Tuesday, August 20, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1133-03
<b>Client Project:</b>	NPDES Parameters	<b>Sampled:</b>	08/19/2019 0:00
<b>Client Sample ID:</b>	Outfall 002	<b>Received:</b>	08/19/2019 10:45
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed	
			Method: EPA 1664B				Analyst: KMT			
<b>Oil &amp; Grease (HEM) by SPE</b>										
Prep Date/Time: 08/19/2019 07:30										
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	08/19/2019 13:43	
			Method: SM 4500-CN C/E-1999				Analyst: ABG			
<b>Total Cyanide</b>										
Prep Date/Time: 08/19/2019 10:59										
Cyanide, Total	ejj	A	ND	0.0020	0.0050	U	mg/L	1	08/19/2019 14:39	

---

**ANALYTE TYPES: (AT)**

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



---

**QC SAMPLE IDENTIFICATIONS**

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

---

**CERTIFICATIONS (Certs)**

*Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.*

d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

i Kansas Dept Health &amp; Env. NELAP (#E-10397)

j Kentucky Wastewater Laboratory Certification Program (#108202)

---

**FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)****MDL:** Minimum Detection Limit**RL:** Reporting Limit**RPD:** Relative Percent Difference**U:** The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has been adjusted for any dilution or concentration of the sample.

## Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 5.0°C  
 MICROBAC®

### Comments

No time

---

### Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	No
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

---

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)

**RUSH!**



Number **152328**

*Instructions on back*

TO BE COMPLETED BY MICROBAC

Turnaround Time

Invoice Address

Temperature Upon Receipt (°C) **53.0.3**  
 Therm ID **530.3**  
 Holding Time **50**  
 Samples Received on Ice?  Yes  No  N/A  
 Custody Seals Intact?  Yes  No  N/A

Routine (5 to 7 business days)  
 RUSH\* (notify lab)

Client Name: **Arcelor Mital**  
 Address:  
 City, State, Zip:  
 Contact: **Teri Burk**  
 Telephone No.:

(needed by)

Report Type

Results Only  Level 1  Level 2  Level 3  Level 4  EDD

Send Invoice via:  Mail  Fax  e-mail (address)

Send Report via:  Mail  Fax  e-mail (address)

Compliance Monitoring?  Yes  No  
 Agency/Program

PO No.:

Location:

Sampler Phone No.:

Sampler Signature: *Warren Howard*

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)  
 \*\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Hexane, (U) Unpreserved

REQUESTED ANALYSIS

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	PK & Chemical	TSS	Phenol	Zn	Pb	Cl2	FOC	Additional Notes
011	8/19/19				6/6									19H1133
001	8/19/19				7/6									12
002	8/19/19				6/6									02
														03

19H1133 Carey Gadzala  
 ArcelorMittal - Burns Harbor. IN  
 NPDES Parameters  
 08/19/2019

Possible Hazard Identification  Hazardous  Non-Hazardous  Radioactive  Sample Disposition  Dispose as appropriate  Return  Archive

Comments

Relinquished By (signature) *Warren Howard* Date/Time **8-19-19 0806**  
 Relinquished By (signature) *Warren Howard* Date/Time **8-19-19 0920**  
 Relinquished By (signature) *Warren Howard* Date/Time **8-19-19 1045**